

PUBLIKATIONSLISTE

2014

[68Ga-DOTATOC PET/CT provides accurate tumour extent in patients with extraadrenal paraganglioma compared to 123I-MIBG SPECT/CT.](#)

Kroiss A, Shulkin BL, Uprimny C, Frech A, Gasser RW, Url C, Gautsch K, Madleitner R, Nilica B, Sprinzl GM, Gastl G, Fraedrich G, Virgolini I.

European Journal of Nuclear Medicine and Molecular Imaging. 2014 Aug 19. [Epub ahead of print]

[Expression of somatostatin receptor subtype 2 and subtype 5 in thyroid malignancies.](#)

Woelfl S, Bogner S, Huber H, Salaheddin-Nassr S, Hatzl M, Decristoforo C, Virgolini I, Gabriel M.

Nuklearmedizin. 2014 Jun 26;53(5).

2013

[Tumor targeting and imaging with dual-peptide conjugated multifunctional liposomal nanoparticles.](#)

Rangger C, Helbok A, Sosabowski J, Kremser C, Koehler G, Prassl R, Andreae F, Virgolini IJ, von Guggenberg E, Decristoforo C. *International Journal of Nanomedicine.* 2013;8:4659-4671.

[Nuclear medicine 2013: from status quo to status go.](#)

Beyer T, Hacker M, Schubiger A, Virgolini I, Wester HJ.

European Journal of Nuclear Medicine and Molecular Imaging. 2013 Dec; 40(12):1794-1796.

[A retrospective comparison between ⁶⁸Ga-DOTA-TOC PET/CT and ¹⁸F-DOPA PET/CT in patients with extra-adrenal paraganglioma.](#)

Kroiss A, Putzer D, Frech A, Decristoforo C, Uprimny C, Gasser RW, Shulkin BL, Url C, Widmann G, Prommegger R, Sprinzl GM, Fraedrich G, Virgolini IJ.

European Journal of Nuclear Medicine and Molecular Imaging. 2013 Dec; 40(12):1800-1808.

[Localization and prediction of malignant potential in recurrent pheochromocytoma/paraganglioma \(PCC/PGL\) using ¹⁸F-FDG PET/CT.](#)

Saad FF, Kroiss A, Ahmad Z, Zanariah H, Lau W, Uprimny C, Donnemiller E, Kendler D, Nordin A, Virgolini I.

Acta Radiologica. 2013 Sep 14. [Epub ahead of print]

[Correlation of dopaminergic terminal dysfunction and microstructural abnormalities of the basal ganglia and the olfactory tract in Parkinson's disease.](#)

Scherfler C, Esterhammer R, Nocker M, Mahlknecht P, Stockner H, Warwitz B, Spielberger S, Pinter B, Donnemiller E, Decristoforo C, Virgolini I, Schocke M, Poewe W, Seppi K.

Brain. 2013 Oct;136(Pt 10):3028-3037.

[68Ga-DOTA 0-Tyr 3-octreotide positron emission tomography in head and neck squamous cell carcinoma.](#)

Schartinger VH, Dudás J, Decristoforo C, Url C, Schnabl J, Göbel G, Virgolini IJ, Riechelmann H, Rasse M, Waitz D, Putzer D.

European Journal of Nuclear Medicine and Molecular Imaging. 2013 Sep; 40(9):1365-1372.

[First Experience Using Peptide Receptor Radionuclide Therapy in a Patient With Urothelial Carcinoma.](#)

Putzer D, Gabriel M, Prommegger R, Kendler D, Virgolini IJ.

Clinical Nuclear Medicine. 2013 Oct;38(10):e404-e406.

[Development of 68Ga-labelled DTPA galactosyl human serum albumin for liver function imaging.](#)

Haubner R, Vera DR, Farshchi-Heydari S, Helbok A, Rangger C, Putzer D, Virgolini I. *European Journal of Nuclear Medicine and Molecular Imaging.* 2013 Aug;40(8):1245-1255.

[Design and evaluation of novel radiolabelled VIP derivatives for tumor targeting.](#)

Rangger C, Helbok A, Ocak M, Radolf T, Andreae F, Virgolini I, von Guggenberg E, Decristoforo C.

Anticancer Research. 2013 Apr;33(4):1537-1546.

[\(68\)Ga-DOTA-TOC uptake in neuroendocrine tumour and healthy tissue: differentiation of physiological uptake and pathological processes in PET/CT.](#)

Kroiss A, Putzer D, Decristoforo C, Uprimny C, Warwitz B, Nilica B, Gabriel M, Kendler D, Waitz D, Widmann G, Virgolini IJ.

European Journal of Nuclear Medicine and Molecular Imaging. 2013 Apr;40(4):514-523.

[\[18F\]-fluoro-ethyl-L-tyrosine PET: a valuable diagnostic tool in neuro-oncology, but not all that glitters is glioma.](#)

Hutterer M, Nowosielski M, Putzer D, Jansen NL, Seiz M, Schocke M, McCoy M, Göbel G, Fougère C, Virgolini IJ, Trinka E, Jacobs AH, Stockhammer G.

Neuro-Oncology. 2013 Mar;15(3):341-351.

[Somatostatin receptor PET in neuroendocrine tumours: \(68\)Ga-DOTA \(0\), Tyr \(3\)-octreotide versus \(68\)Ga-DOTA \(0\)-lanreotide.](#)

Putzer D, Kroiss A, Waitz D, Gabriel M, Traub-Weidinger T, Uprimny C, von Guggenberg E, Decristoforo C, Warwitz B, Widmann G, Virgolini IJ.

European Journal of Nuclear Medicine and Molecular Imaging. 2013 Feb;40(3):364-372.

[\[\(68\)Ga\]NS\(3\)-RGD and \[\(68\)Ga\] Oxo-DO3A-RGD for imaging \$\alpha\(v\)\beta\(3\)\$ integrin expression: synthesis, evaluation, and comparison.](#)

Knetsch PA, Petrik M, Rangger C, Seidel G, Pietzsch HJ, Virgolini I, Decristoforo C, Haubner R.

Nuclear Medicine and Biology. 2013 Jan;40(1):65-72.

2012

Neuroendocrine differentiation in head and neck squamous cell carcinoma.

Schartinger VH, Falkeis C, Laimer K, Sprinzl GM, Riechelmann H, Rasse M, Virgolini I, Dudàs J.

The Journal of Laryngology and Otology. 2012 Oct;11:1-10.

Left hemispheric predominance of nigrostriatal dysfunction in Parkinson's disease.

Scherfler C, Seppi K, Mair KJ, Donnemiller E, Virgolini I, Wenning GK, Poewe W.

Brain. 2012 Oct;4:1-7.

Markers of bone resorption and formation during abstinence in male alcoholic patients.

Malik P, Gasser RW, Moncayo R, Kemmler G, Wolfgang Fleischhacker W.

Alcoholism, Clinical and Experimental Research. 2012 Dec;36(12):2059-2064.

[18F]choline positron emission tomography in prostate cancer patients with biochemical recurrence after radical prostatectomy: influence of antiandrogen therapy - a preliminary study.

Henninger B, Vesco P, Putzer D, Kendler D, Loizides A, Bale RJ, Virgolini IJ.

Nuclear Medicine Communications. 2012 Aug;33(8):889-894.

Microbial challenge tests on nonradioactive TiO₂-based ⁶⁸Ge/⁶⁸Ga generator columns.

Petrik M, Schuessle A, Perkhofer S, Lass-Flörl C, Becker D, Decristoforo C.

Nuclear Medicine Communications. 2012 Aug;33(8):819-823.

Comparison of ⁶⁸Ga-DOTATATE and ⁶⁸Ga-DOTANOC PET/CT imaging in the same patient group with neuroendocrine tumours.

Kabasakal L, Domirci E, Ocak M, Decristoforo C, Araman A, Ozsoy A, Uslu I, Kanmaz B.

European Journal of Nuclear Medicine and Molecular Imaging. 2012 Aug;39(8):1271-1277.

Diagnostic value of software-based image fusion of computed tomography and F18-FDG PET scans in patients with malignant lymphoma.

Henninger B, Putzer D, Kendler D, Uprimny C, Virgolini I, Gunsilius E, Bale R.

Scientific World Journal. 2012:821694.

Preclinical evaluation of two ⁶⁸Ga-siderophores as potential radiopharmaceuticals for *Aspergillus fumigatus* infection imaging.

Petrik M, Franssen GM, Haas H, Laverman P, Hörtnagl C, Schrettl M, Helbok A, Lass-Flörl C, Decristoforo C.

European Journal of Nuclear Medicine and Molecular Imaging. 2012 Jul;39(7):1175-1183.

Gallium-68 – a new opportunity for PET available from a long shelf-life generator – automation and applications.

Decristoforo C.

Current Pharmacology. 2012 Jul;5(3):212-220.

First experience with proteasome inhibitor treatment of radioiodine nonavid thyroid cancer using bortezomib.

Putzer D, Gabriel M, Kroiss A, Madleitner R, Eisterer W, Kendler D, Uprimny C, Bale RJ, Gastl G, Virgolini IJ.

Clinical Nuclear Medicine. 2012 Jun;37(6):539-544.

Preclinical evaluation of radiolabeled DOTA-derivatized cyclic minigastrin analogs for targeting cholecystikinin receptor expressing malignancies.

von Guggenberg E, Rangger C, Sosabowski J, Laverman, P, Reubi JC, Virgolini IJ, Decristoforo C.

Molecular Imaging and Biology. 2012 Jun;14(3):366-375.

Progression of dopamine transporter decline in patients with the Parkinson variant of multiple system atrophy: a voxel-based analysis of [123I]β-CIT SPECT.

Nocker M, Seppi K, Donnemiller E, Virgolini I, Wenning GK, Poewe W, Scherfler C.

European Journal of Nuclear Medicine and Molecular Imaging. 2012 Jun;39(6):1012-1020.

Inadequate description of an acupuncture treatment study for polycystic ovaries.

Moncayo R, Moncayo H.

Fertility and Sterility. 2012 May;97(5):e20.

In vitro and in vivo evaluation of selected 68Ga-siderophores for infection imaging.

Petrik M, Haas H, Schrettl M, Helbok A, Blatzer M, Decristoforo C.

Nuclear Medicine and Biology 2012 Apr;39(3):361-369.

124I-anti-CD52 dosimetry before radioimmunotherapy as part of conditioning for stem cell transplantation in acute leukemia.

Putzer D, Dobrozemsky G, Haubner R, Clausen J, Nachbaur D, Virgolini I.

Clinical Nuclear Medicine. 2012 Apr;37(4):390-392.

Paravalvular prosthetic valve abscess detected with 18FDG-PET/128-slice CT image fusion.

Feuchtner G, Plank F, Uprimny C, Chevchik O, Mueller S.

European Heart Journal Cardiovascular Imaging. 2012 Mar;13(3):276-277.

Detection of bioprosthetic valve infection by image fusion of (18)fluorodeoxyglucose-positron emission tomography and computed tomography.

Plank F, Mueller S, Uprimny C, Hangler H, Feuchtner G.

Interactive Cardiovascular Thoracic Surgery. 2012 Mar;14(3):364-366.

Functional imaging in pheochromocytoma and neuroblastoma with 68Ga-DOTA-Tyr3-octreotide positron emission tomography and 123I-metaiodobenzylguanidine: a clarification.

Kroiss A, Putzer D, Uprimny C, Decristoforo C, Gabriel M, Santner W, Kranewitter C, Warwitz B, Waitz D, Kendler D, Virgolini IJ.

European Journal of Nuclear Medicine and Molecular Imaging. 2012 Mar; 39(3):543.

Somatostatin receptor SPECT.

Pepe G, Moncayo R, Bombardieri E, Chiti A.

European Journal of Nuclear Medicine and Molecular Imaging. 2012 Feb; 39 Suppl 1:S41-51.

[Feasibility and availability of ⁶⁸Ga-labelled peptides.](#)

Decristoforo C, Pickett RD, Verbruggen A

European Journal of Nuclear Medicine and Molecular Imaging. 2012 Feb; 39 Suppl 1:31-40.

[Targeting properties of peptide-modified radiolabeled liposomal nanoparticles.](#)

Helbok A, Rangger C, von Guggenberg E, Saba-Lepek M, Radolf T, Thurner G, Andreae F, Prassl R, Decristoforo C.

Nanomedicine. 2012 Jan;8(1):112-118.

2011

[Triple induction chemotherapy and chemoradiotherapy for locally advanced esophageal cancer. A phase II study.](#)

Eisterer W, DE Vries A, Kendler D, Spechtenhauser B, Königsrainer A, Nehoda H, Virgolini I, Lukas P, Bechter O, Wöll E, Ofner D.

Anticancer Research. 2011 Dec;31(12):4407-4412.

[Treatment of high-grade glioma with radiolabeled peptides.](#)

Waitz D, Putzer D, Kostron H, Virgolini IJ.

Methods. 2011 Nov;55(3):223-229.

[Localization and prediction of recurrent pheochromocytoma/paraganglioma \(PCC/PGL\) using diagnostic ¹⁸F\]FDG-PET/CT.](#)

Fathinul F, Nordin A, Zanariah H, Kroiss A, Uprimny C, Donnemiller E, Kendler D, Virgolini I.

Cancer Imaging 2011 Nov;11:114-115.

[\[^{99m}Tc\]demotensin VI: biodistribution and initial clinical results in tumor patients of a pilot/phase I study.](#)

Gabriel M, Decristoforo C, Wöll E, Eisterer W, Nock B, Maina T, Moncayo R, Virgolini I.

Cancer Biotherapy and Radiopharmaceuticals. 2011 Oct;26(5):557-563.

[Radiolabelling of Peptides for PET, SPECT and therapeutic applications using a fully automated disposable cassette system.](#)

Petrik M, Knetsch PA, Knopp R, Imperato G, Ocak M, von Guggenberg E, Haubner R, Silbernagl R, Decristoforo C.

Nuclear Medicine Communications. 2011 Oct;32(10):887-895.

[Novel \(⁶⁴Cu- and \(⁶⁸Ga-labeled RGD conjugates show improved PET imaging of \$\alpha\(v\)\beta\(3\)\$ integrin expression and facile radiosynthesis.](#)

Dumont RA, Deininger F, Haubner R, Maecke HR, Weber WA, Fani M.

Journal of Nuclear Medicine. 2011 Aug;52(8):1276-1284.

Erratum in: J Nucl Med. 2011 Sep;52(9):1498.

[Comparative biodistribution of 12 ¹¹¹In-labelled gastrin/CCK2 receptor-targeting peptides.](#)

Laverman P, Joosten L, Eek A, Roosenburg S, Peitl PK, Maina T, Mäcke H, Aloj L, von Guggenberg E, Sosabowski JK, de Jong M, Reubi JC, Oyen WJ, Boerman OC. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011 Aug;38(8):1410-1416.

[Comparison of the binding and internalization properties of 12 DOTA-coupled and ¹¹¹In-labelled CCK2/gastrin receptor binding peptides: a collaborative project under COST Action BM0607.](#)

Aloj L, Aurilio M, Rinaldi V, D'ambrosio L, Tesauro D, Peitl PK, Maina T, Mansi R, von Guggenberg E, Joosten L, Sosabowski JK, Breeman WA, De Blois E, Koelewijn S, Melis M, Waser B, Beetschen K, Reubi JC, de Jong M. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011 Aug; 38(8):1417-1425.

[Comparison of biological stability and metabolism of CCK2 receptor targeting peptides, a collaborative project under COST BM0607.](#)

Ocak M, Helbok A, Rangger C, Peitl PK, Nock BA, Morelli G, Eek A, Sosabowski JK, Breeman VVA, Reubi JC, Decristoforo C. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011 Aug; 38(8):1426-1435.

[Decreased selenium levels after peptide receptor radionuclide therapy \(PRRT\) in patients with neuroendocrine tumours: implications for the antioxidant status.](#)

Moncayo R, Traeger A. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011 Aug;38(8):1580-1581.

[Supernumerary phantom limb as a rare symptom of epileptic seizures--case report and literature review.](#)

Millonig A, Bodner T, Donnemiller E, Wolf E, Unterberger I. *Epilepsia*. 2011 Aug;52(8):e97-e100.

[Improved quality of life in patients treated with Peptide radionuclides.](#)

Traub-Weidinger T, Raderer M, Uffmann M, Angelberger P, Kurtaran A, Leimer M, Preitfellner J, Dudczak R, Virgolini I. *World Journal of Nuclear Medicine*. 2011 Jul;10(2):115-121.

[\[⁶⁸Ga\]NODAGA-RGD for imaging \$\alpha\beta 3\$ integrin expression.](#)

Knetsch PA, Petrik M, Griessinger CM, Rangger C, Fani M, Kesenheimer C, von Guggenberg E, Pichler BJ, Virgolini I, Decristoforo C, Haubner R. *European Journal of Nuclear Medicine and Molecular Imaging*. 2011 Jul; 38(7):1303-1312.

[Reflections on the theory of "silver bullet" octreotide tracers: implications for ligand-receptor interactions in the age of peptides, heterodimers, receptor mosaics, truncated receptors, and multifractal analysis.](#)

Moncayo R. *EJNMMI Research*. 2011 Jul 26;1(1):9.

Imaging the effect of receptor for advanced glycation endproducts on angiogenic response to hindlimb ischemia in diabetes.

Tekabe Y, Shen X, Luma J, Weisenberger D, Yan SF, Haubner R, Schmidt AM, Johnson L.

EJNMMI Research. 2011 Jun 7;1(1):3.

O-(2-18F-fluoroethyl)-L-tyrosine PET predicts failure of antiangiogenic treatment in patients with recurrent high-grade glioma.

Hutterer M, Nowosielski M, Putzer D, Waitz D, Tinkhauser G, Kostron H, Muigg A, Virgolini IJ, Staffen W, Trinkka E, Gotwald T, Jacobs AH, Stockhammer G.

Journal of Nuclear Medicine. 2011 Jun;52(6):856-864.

Functional imaging in pheochromocytoma and neuroblastoma with 68Ga-DOTA-Tyr 3-octreotide positron emission tomography and 123I-metaiodobenzylguanidine.

Kroiss A, Putzer D, Uprimny C, Decristoforo C, Gabriel M, Santner W, Kranewitter C, Warwitz B, Waitz D, Kendler D, Virgolini IJ.

European Journal of Nuclear Medicine and Molecular Imaging. 2011 May; 38(5):865-873.

Diagnosis and therapy are walking together on radiopeptides' avenue.

Mansi L, Virgolini I.

European Journal of Nuclear Medicine and Molecular Imaging. 2011 Apr; 38(4):605-612.

A novel computer-assisted image analysis of [123I]β-CIT SPECT images improves the diagnostic accuracy of parkinsonian disorders.

Goebel G, Seppi K, Donnemiller E, Warwitz B, Wenning GK, Virgolini I, Poewe W, Scherfler C.

European Journal of Nuclear Medicine and Molecular Imaging. 2011 Apr; 38(4):702-710.

Influence of biological assay conditions on stability assessment of radiometal-labelled peptides exemplified using a 177Lu-DOTA-minigastrin derivate.

Ocak M, Helbok A, von Guggenberg E, Ozsoy Y, Kabasakal L, Kremser L, Decristoforo C.

Nuclear Medicine and Biology. 2011 Feb;38(2):171-179.

2010

In vitro characterization of two novel biodegradable vectors for the delivery of radiolabeled antisense oligonucleotides.

von Guggenberg E, Shahhosseini S, Koslowsky I, Lavasanifar A, Murray D, Mercer J. *Cancer Biotherapy & Radiopharmaceuticals*. 2010 Dec;25(6):723-731.

131I/123I-metaiodobenzylguanidine (mIBG) scintigraphy: procedure guidelines for tumour imaging.

Bombardieri E, Giammarile F, Aktolun C, Baum RP, Bischof Delaloye A, Maffioli L, Moncayo R, Mortelmans L, Pepe G, Reske SN, Castellani MR, Chiti A.

European Journal of Nuclear Medicine and Molecular Imaging. 2010 Dec;37(12):2436-2446.

[Z-score comparability of bone mineral density reference databases for children.](#)

Kocks J, Ward K, Mughal Z, Moncayo R, Adams J, Högl W.

The Journal of Clinical Endocrinology and Metabolism. 2010 Oct;95(10):4652-4659.

[Procedure guidelines for PET/CT tumour imaging with 68Ga-DOTA-conjugated peptides: 68Ga-DOTA-TOC, 68Ga-DOTA-NOC, 68Ga-DOTA-TATE.](#)

Virgolini I, Ambrosini V, Bomanji JB, Baum RP, Fanti S, Gabriel M, Papathanasiou ND, Pepe G, Oyen W, De Cristoforo C, Chiti A.

European Journal of Nuclear Medicine and Molecular Imaging. 2010 Oct; 37(10): 2004-2010.

[PET radiopharmaceuticals in radiation treatment planning - synthesis and biological characteristics.](#)

Haubner R.

Radiotherapy and Oncology. 2010 Sep;96(3):280-287.

[Novel 99mTc '4 + 1' peptide conjugates: tuning the biodistribution by variation of coligands.](#)

Kunstler JU, Deidel G, Bergmann R, Gniazdowska E, Walther M, Schiller E, Decristoforo C, Stephan H, Haubner R, Steinbach J, Pietzsch HJ.

European Journal of Medicinal Chemistry. 2010 Sep;45(9):3645-3655.

[Radiolabeling of lipid-based nanoparticles for diagnostics and therapeutic applications: a comparison using different radiometals.](#)

Helbok A, Decristoforo C, Dobrozemsky G, Rangger C, Dideren E, Stark B, Prassl R, von Guggenberg E.

Journal of Liposome Research. 2010 Sep;20(3):219-227.

[Positron emission tomography tracers for imaging angiogenesis.](#)

Haubner R, Beer AJ, Wang H, Chen X.

European Journal of Nuclear Medicine and Molecular Imaging. 2010 Aug;37 Suppl 1:S86-103.

[Labeling and glycosylation of peptides using click chemistry: a general approach to \(18\)F-glycopeptides as effective imaging probes for positron emission tomography.](#)

Maschauer S, Einsiedel J, Haubner R, Hocke C, Ocker M, Hübner H, Kuwert T, Gmeiner P, Prante O.

Angewandte Chemie International Edition English. 2010;49(5):976-979.

[A glioblastoma multiforme patient receiving an intracavitary peptide-receptor-radionuclide-therapy with 90Y-DOTA-TOC: a case report.](#)

Putzer D, Gabriel M, Donnemiller E, Kostron H, Stockhammer G, Virgolini IJ.

Memo – Magazine of European Medical Oncology. 2010;3(Suppl.3),21-24.

[Guidance on current good radiopharmacy practice \(cGRPP\) for the small-scale preparation of radiopharmaceuticals.](#)

Elsinga P, Todde S, Penuelas I, Meyer G, Farstad B, Faivre-Chauvet A, Mikolajczak R, Westera G, Gmeiner-Stopar T, Decristoforo G.

European Journal of Nuclear Medicine and Molecular Imaging. 2010 May; 37(5):1049-1062.

[Albumin-based nanoparticles as magnetic resonance contrast agents: I. Concept, first syntheses and characterisation.](#)

Stollenwerk MM, Pashkunova-Martic I, Kremser C, Talasz H, Thurner GC, Abdelmoez AA, Wallnöfer EA, Helbok A, Neuhauser E, Klammsteiner N, Klimaschewski L, von Guggenberg E, Fröhlich E, Keppler B, Jaschke W, Debbage P. *Histochemistry and Cell Biology.* 2010 Apr;133(4):375-404.

[⁶⁸Ga-siderophores for PET imaging of invasive pulmonary aspergillosis: proof of principle.](#)

Petrik M, Haas H, Dobrozemsky G, Lass-Flörl C, Helbok A, Blatzer M, Dietrich H, Decristoforo C. *Journal of Nuclear Medicine.* 2010 Apr;51(4):639-645.

[Impurity in \(⁶⁸Ga\)-peptide preparation using processed generator eluate.](#)

Petrik M, Ocak M, Rupprich M, Decristoforo C. *The Journal of Nuclear Medicine.* 2010 Mar;51(3):495-496.

[Response of recurrent high-grade glioma to treatment with \(⁹⁰Y\)-DOTATOC.](#)

Heute D, Kostron H, von Guggenberg E, Ingorokva S, Gabriel M, Dobrozemsky G, Stockhammer G, Virgolini IJ. *Journal of Nuclear Medicine.* 2010 Mar;51(3):397-400.

[Diagnosis and therapy of neuroendocrine tumours.](#)

Bombardieri E, Virgolini I. *The Quarterly Journal of Nuclear Medicine and Molecular Imaging.* 2010 Feb; 54(1): 1-2.

[Preliminary experience with \(⁶⁸Ga\)-DOTA-Ianreotide positron emission tomography.](#)

Traub-Weidinger T, Von Guggenberg E, Dobrozemsky G, Kendler D, Eisterer W, Bale R, Putzer D, Gabriel M, Virgolini I. *The Quarterly Journal of Nuclear Medicine and Molecular Imaging.* 2010 Feb; 54(1): 52-60.

[Comparison of \(⁶⁸Ga\)-DOTA-Tyr\(3\)-octreotide and \(¹⁸F\)-fluoro-L-dihydroxyphenylalanine positron emission tomography in neuroendocrine tumor patients.](#)

Putzer D, Gabriel M, Kendler D, Henninger B, Knoflach M, Kroiss A, Vonguggenberg E, Warwitz B, Virgolini IJ. *The Quarterly Journal of Nuclear Medicine and Molecular Imaging.* 2010 Feb; 54(1): 68-75.

[Individualized peptide-related-radionuclide-therapy concept using different radiolabelled somatostatin analogs in advanced cancer patients.](#)

Gabriel M, Andergassen U, Putzer D, Kroiss A, Waitz D, Von Guggenberg E, Kendler D, Virgolini IJ. *The Quarterly Journal of Nuclear Medicine and Molecular Imaging.* 2010 Feb; 54(1): 92-99.

Full automation of (68)Ga labelling of DOTA-peptides including cation exchange prepurification.

Ocak M, Antretter M, Knopp R, Kunkel F, Petrik M, Bergisadi N, Decristoforo C. *Applied Radiation and Isotopes*. 2010 Feb;68(2):297-302.

Integration of multimodality imaging and surgical navigation in the management of patients with refractory epilepsy. A pilot study using a new minimally invasive reference and head-fixation system.

Ortler M, Trinkla E, Dobesberger J, Bauer R, Unterhofer C, Twerdy K, Walser G, Unterberger I, Donnemiller E, Gotwald T, Widmann G, Bale R. *Acta Neurochirurgica (Wien)*. 2010 Feb;152(2):365-378.

2009

Imaging of integrin alpha(v)beta(3) expression in patients with malignant glioma by [18F] Galacto-RGD positron emission tomography.

Schnell O, Krebs B, Carlsen J, Miederer I, Goetz C, Goldbrunner RH, Wester HJ, Haubner R, Pöpperl G, Holtmannspötter M, Kretzschmar HA, Kessler H, Tonn JC, Schwaiger M, Beer AJ. *Neuro-Oncology*. 2009 Dec;11(6):861-870.

Preclinical evaluation of In-111 and Ga-68 labelled minigastrin analogues for CCK-2 receptor imaging.

Helbok A, Decristoforo C, Behe M, Rangger C, von Guggenberg E. *Current Radiopharmaceuticals*, 2009;2(4):304-310.

Numerical deficits in a single case of basal ganglia dysfunction.

Zamarian L, Bodner T, Revkin SK, Benke T, Boesch S, Donnemiller E, Delazer M. *Neurocase*. 2009 Oct;15(5):390-404.

Tetracycline-resistant *Escherichia coli* strains are inherited from parents and persist in the infant's intestines in the absence of selective pressure.

Prelog M, Grif K, Decristoforo C, Würzner R, Kiechl-Kohlendorfer U, Brunner A, Zimmerhackl LB, Orth D. *European Journal of Pediatrics*. 2009 Oct;168(10):1181-1187.

Role of radiopharmaceuticals in the diagnosis and treatment of neuroendocrine tumours.

Virgolini IJ, Gabriel M, v. Guggenberg E, Putzer D, Kendler D, Decristoforo C. *European Journal of Cancer*. 2009 Sep;45 Suppl 1: 274-291.

⁶⁸Ga-DOTA-Tyr³-octreotide PET for assessing response to somatostatin-receptor-mediated radionuclide therapy.

Gabriel M, Oberauer A, Dobrozemsky G, Decristoforo C, Putzer D, Kendler D, Uprimny C, Kovacs P, Bale R, Virgolini IJ. *Journal of Nuclear Medicine*. 2009 Sep;50(9):1427-1434.

[Automated synthesis of an 18F-labelled pyridine-based alkylating agent for high yield oligonucleotide conjugation.](#)

von Guggenberg E, Sader JA, Wilson JS, Shahhosseini S, Koslowsky I, Wuest F, Mercer JR.

Applied Radiation and Isotopes. 2009 Sep;67(9):1670-1675.

[Primary mediastinal synovial sarcoma: a case report and review of the literature.](#)

Henninger B, Freund M, Zelger B, Putzer D, Bonatti H, Müller L, Fiegl M, Geltner C.

Cases Journal. 2009 Aug 7;2:6948.

[Cyclic minigastrin analogues for gastrin receptor scintigraphy with technetium-99m: preclinical evaluation.](#)

von Guggenberg E, Sallegger W, Helbok A, Ocak M, King R, Mather SJ, Decristoforo C.

Journal of Medicinal Chemistry. 2009 Aug; 52(15):4786-4793.

[Bone metastases in patients with neuroendocrine tumor: 68Ga-DOTA-Tyr3-octreotide PET in comparison to CT and bone scintigraphy.](#)

Putzer D, Gabriel M, Henninger B, Kendler D, Uprimny C, Dobrozemsky G, Decristoforo C, Bale RJ, Jaschke W, Virgolini IJ.

Journal of Nuclear Medicine. 2009 Aug;50(8):1214-1221.

[Towards a harmonized radiopharmaceutical regulatory framework in Europe?](#)

Decristoforo A, Peñuelas I.

The Quarterly Journal of Nuclear Medicine and Molecular Imaging. 2009 Aug;53(4):394-401.

[Multimodal neuroimaging in diagnosis and follow-up.](#)

Putzer D, Waitz D, Donnemiller E, Virgolini I.

Memo – Magazine of European Medical Oncology. 2009. 2(Suppl.3):20-23.

[Diffusion weighted imaging of the olfactory tract and its association with hyposmia in PD.](#)

Nocker M, Seppi K, Schocke M, Esterhammer R, Virgolini I, Boesch S, Poewe W, Scherfler C.

Movement Disorders 2009 (24):204.

[Uterine mechanisms of ipsilateral directed spermatozoa transport: Evidence for a contribution of the utero-ovarian countercurrent system.](#)

Zervomanolakis I, Ott HW, Müller J, Seeber BE, Friess SC, Mattle V, Virgolini I, Heute D, Wildt L.

European Journal of Obstetrics, Gynecology and Reproductive Biology. 2009 May; 144 Suppl 1:45-49.

[Tuberous sclerosis complex with unilateral perisylvian polymicrogyria and contralateral hippocampal sclerosis - a case report.](#)

Helbok R, Kuchukhidze G, Unterberger I, Koppelstaetter F, Dobesberger J, Donnemiller E, Trinka E.

Seizure. 2009 May;18(4):303-305.

Evaluation of Applied Kinesiology meridian techniques by means of surface electromyography (sEMG): demonstration of the regulatory influence of antique acupuncture points.

Moncayo R, Moncayo H.
Chinese Medicine. 2009 May 29;4:9.

Noninvasive imaging of alphaVbeta3 function as a predictor of the antimigratory and antiproliferative effects of dasatinib.

Dumont RA, Hildebrandt I, Su H, Haubner R, Reischl G, Czernin JG, Mischel PS, Weber WA.
Cancer Research. 2009 Apr;69(7):3173-3179.

Practical and general method for the direct synthesis of alkyl fluorides from alcohols under mild conditions: a reinvestigation.

Rupprich M, Decristoforo C, Matuszczak B.
Monatshefte für Chemie/Chemical Monthly. 2009 Apr;140(4): 405-407.

Low bone mineral density and impaired bone metabolism in young alcoholic patients without liver cirrhosis: a cross-sectional study.

Malik P, Gasser RW, Kemmler G, Moncayo R, Finkenstedt G, Kurz M, Fleischhacker WW.
Alcoholism, Clinical and Experimental Research. 2009 Feb;33(2):375-381.

Derivation of a compartmental model for quantifying ⁶⁴Cu-DOTA-RGD kinetics in tumor-bearing mice.

Ferl GZ, Dumont RA, Hildebrandt IJ, Armijo A, Haubner R, Reischl G, Su H, Weber WA, Huang SC.
Journal of Nuclear Medicine. 2009 Feb;50(2):250-258.

Radiolabelled RGD peptides and peptidomimetics for tumour targeting.

Haubner R, Decristoforo C.
Frontiers in Bioscience. 2009 Jan;14:872-886.

2008

Noninvasive tracer techniques to characterize angiogenesis.

Haubner R.
Handbook of Experimental Pharmacology. 2008;(185 Pt 2):323-339.

Intracellular signaling pathways regulating radioresistance of human prostate carcinoma cells.

Skvortsova I, Skvortsov S, Stasyk T, Raju U, Popper BA, Schiestl B, von Guggenberg E, Neher A, Bonn GK, Huber LA, Lukas P.
Proteomics. 2008 Nov;8(21):4521-4533.

Pediatric reference intervals for thyroid hormone levels from birth to adulthood: a retrospective study.

Kapelari K, Kirchlechner C, Högler W, Schweitzer K, Virgolini I, Moncayo R.
BMC Endocrine Disorders. 2008 Nov 27;8:15.

[Concordance between results of somatostatin receptor scintigraphy with 111In-DOTA-DPhe 1-Tyr 3-octreotide and chromogranin A assay in patients with neuroendocrine tumours.](#)

Rodrigues M, Gabriel M, Heute D, Putzer D, Griesmacher A, Virgolini I.
European Journal of Nuclear Medicine and Molecular Imaging. 2008 Oct; 35(10): 1796-1802.

[The immunoadhesin glycoprotein VI-Fc regulates arterial remodelling after mechanical injury in ApoE^{-/-} mice.](#)

Schönberger T, Siegel-Axel D, Bussl R, Richter S, Judenhofer MS, Haubner R, Reischl G, Klingel K, Münch G, Seizer P, Pichler BJ, Gawaz M.
Cardiovascular Research. 2008 Oct 1;80(1):131-137.

[68Ga- and 111In-labelled DOTA-RGD peptides for imaging of alphavbeta3 integrin expression.](#)

Decristoforo C, Hernandez Gonzalez I, Carlsen J, Rupprich M, Huisman M, Virgolini I, Wester HJ, Haubner R.
European Journal of Nuclear Medicine and Molecular Imaging. 2008 Aug; 35(8):1507-1515.

[The complexities of receptor binding.](#)

Moncayo R, Moncayo H.
Fertil Steril. 2008 Aug;90(2):465.

[Radionuclide imaging: a molecular key to the atherosclerotic plaque.](#)

Langer HF, Haubner R, Pichler BJ, Gawaz M.
Journal of the American College of Cardiology. 2008 Jul 1;52(1):1-12.

[Radiolabeled arginine-glycine-aspartic acid peptides to image angiogenesis in swine model of hibernating myocardium.](#)

Johnson LL, Schofield L, Donahay T, Bouchard M, Poppas A, Haubner R.
JACC Cardiovascular Imaging. 2008 Jul;1(4):500-510.

[The specific case of radiopharmaceuticals and GMP—activities of the Radiopharmacy Committee.](#)

Decristoforo C, Elsinga P, Faivre-Chauvet A, Farstad B, Meyer G, Mikolajczak R, Penuelas I, Unak P, Westera G.
European Journal of Nuclear Medicine and Molecular Imaging. 2008 Jul;35(7):1400-1401.

[Individualized molecular cancer therapy based on radiolabelled somatostatin analogues.](#)

Gabriel M, Andergassen U, Virgolini IJ.
Memo – Magazine of European Medical Oncology. 2008;1(3), 171-175.

[Distribution of dopamine transporter availability distinguishes MSA-P from MSA-C: A voxel based analysis of \[I-123\] beta-CIT SPECT.](#)

Scherfler C, Nocker M, Seppi K, Viertler M, Donnemiller E, Boesch SM, Virgolini I, Wenning GK, Poewe W.
Movement Disorders 2008; 23(1), Suppl.S, 57-58.

TNFR1 signaling and IFN-gamma signaling determine whether T cells induce tumor dormancy or promote multistage carcinogenesis.

Müller-Hermelink N, Braumüller H, Pichler B, Wieder T, Mailhammer R, Schaak K, Ghoreschi K, Yazdi A, Haubner R, Sander CA, Mocikat R, Schwaiger M, Förster I, Huss R, Weber WA, Kneilling M, Röcken M.

Cancer Cell. 2008 Jun;13(6):507-518.

Progression of monoaminergic transporter decline in MSA-P and Parkinson's disease: A voxel-by-voxel analysis of [¹¹C] beta-CIT SPECT .

Nocker M, Scherfler C, Boesch S.M, Scherfler C, Donnemiller E, Virgolini I, Wenning GK, Poewe W, Seppi K.

Movement Disorders 2008; 23(1), Suppl.S, 76-77.

Intratumoral spatial distribution of hypoxia and angiogenesis assessed by ¹⁸F-FAZA and ¹²⁵I-Gluco-RGD autoradiography.

Picchio M, Beck R, Haubner R, Seidl S, Machulla HJ, Johnson TD, Wester HJ, Reischl G, Schwaiger M, Piert M.

Journal of Nuclear Medicine. 2008 Apr;49(4):597-605.

Multimodal evaluation of renal perfusional changes due to extracorporeal shock wave lithotripsy.

Mitterberger M, Pinggera GM, Neururer R, Peschel R, Aigner F, Gradl J, Bartsch G, Kendler D, Karakolcu F, Frauscher F, Pallwein L.

BJU International. 2008 Mar;101(6):731-735.

The role of selenium, vitamin C, and zinc in benign thyroid diseases and of selenium in malignant thyroid diseases: Low selenium levels are found in subacute and silent thyroiditis and in papillary and follicular carcinoma.

Moncayo R, Kroiss A, Oberwinkler M, Karakolcu F, Starzinger M, Kapelari K, Talasz H, Moncayo H.

BMC Endocrine Disorders. 2008 Jan 25;8:2.

Successful surgical treatment of insular epilepsy with nocturnal hypermotor seizures.

Dobesberger J, Ortler M, Unterberger I, Walser G, Falkenstetter T, Bodner T, Benke T, Bale R, Fiegele T, Donnemiller E, Gotwald T, Trinka E.

Epilepsia. 2008 Jan;49(1):159-162.

2007

[¹⁸F]galacto-RGD positron emission tomography for imaging of alphavbeta3 expression on the neovasculature in patients with squamous cell carcinoma of the head and neck.

Beer AJ, Grosu AL, Carlsen J, Kolk A, Sarbia M, Stangier I, Watzlowik P, Wester HJ, Haubner R, Schwaiger M.

Clinical Cancer Research. 2007 Nov;13(22 Pt 1):6610-6616.

A fully automated synthesis for the preparation of ⁶⁸Ga-labelled peptides.

Decristoforo C, Knopp R, von Guggenberg E, Rupprich M, Dreger T, Hess A, Virgolini I, Haubner R.
Nuclear Medicine Communications. 2007 Nov;28(11):870-875.

[Tubal transport of spermatozoa does not appear to be dependent on normal cilia function.](#)

Ott HW, Schmiedehausen K, Kat S, Binder H, Gall C, Kuwert T, Heute D, Virgolini I, Wildt L.
Fertility and Sterility. 2007 Nov;88(5):1437.

[Diffusion weighted imaging best discriminates PD from MSA-P: A comparison with tilt table testing and heart MIBG scintigraphy.](#)

Köllensperger M, Seppi K, Liener C, Boesch S, Heute D, Mair KJ, Mueller J, Sawires M, Scherfler C, Schocke MF, Donnemiller E, Virgolini I, Wenning GK, Poewe W.
Movement Disorders. 2007 Sep 15;22(12):1771-1776.

[Fluorine-18-fluorodeoxyglucose positron emission tomography as a novel noninvasive diagnostic tool for gastrointestinal graft-versus-host disease.](#)

Auberger J, Kendler D, Virgolini I, Clausen J, Schwaighofer H, Gastl G, Nachbaur D.
Transplantation. 2007 Aug 15;84(3):440-441.

[99mTc-labelled HYNIC-minigastrin with reduced kidney uptake for targeting of CCK-2 receptor-positive tumours.](#)

von Guggenberg E, Dietrich H, Skvortsova I, Gabriel M, Virgolini IJ, Decristoforo C.
European Journal of Nuclear Medicine and Molecular Imaging. 2007 Aug;34(8):1209-1218.

[Use of the European preliminary criteria, the Breiman-classification tree and the American-European criteria for diagnosis of primary Sjögren's Syndrome in daily practice: a retrospective analysis.](#)

Langegger C, Wenger M, Duftner C, Dejaco C, Baldissera I, Moncayo R, Schirmer M.
Rheumatology International. 2007 Jun;27(8):699-702.

[Targeted mast cell silencing protects against joint destruction and angiogenesis in experimental arthritis in mice.](#)

Kneilling M, Hültner L, Pichler BJ, Mailhammer R, Morawietz L, Solomon S, Eichner M, Sabatino J, Biedermann T, Krenn V, Weber WA, Illges H, Haubner R, Röcken M.
Arthritis and Rheumatism. 2007 Jun;56(6):1806-1816.

[Physiology of upward transport in the human female genital tract.](#)

Zervomanolakis I, Ott HW, Hadziomerovic D, Mattle V, Seeber BE, Virgolini I, Heute D, Kissler S, Leyendecker G, Wildt L.
Annals of the New York Academy of Science. 2007 Apr;1101:1-20.

[68Ga-DOTA-Tyr3-octreotide PET in neuroendocrine tumors: comparison with somatostatin receptor scintigraphy and CT.](#)

Gabriel M, Decristoforo C, Kendler D, Dobrozemsky G, Heute D, Uprimny C, Kovacs P, von Guggenberg E, Bale R, Virgolini IJ.
Journal of Nuclear Medicine. 2007 Apr;48(4):508-518.

3D-MRI rendering of the anatomical structures related to acupuncture points of the Dai mai, Yin qiao mai and Yang qiao mai meridians within the context of the WOMED concept of lateral tension: implications for musculoskeletal disease.

Moncayo R, Rudisch A, Kremser C, Moncayo H.
BMC Musculoskeletal Disorders. 2007 Apr 10;8:33

In vitro and in vivo evaluation of a novel ^{99m}Tc(CO)₃-pyrazolyl conjugate of cyclo-(Arg-Gly-Asp-d-Tyr-Lys).

Alves S, Correia JD, Gano L, Rold TL, Prasanphanich A, Haubner R, Rupprich M, Alberto R, Decristoforo C, Santos I, Smith CJ.
Bioconjugate Chemistry. 2007 Mar-Apr;18(2):530-537.

In-vivo visualisation of the anatomical structures related to the acupuncture points Dai mai and Shen mai by MRI: a single-case pilot study.

Moncayo R, Rudisch A, Diemling M, Kremser C.
BMC Medical Imaging. 2007 Mar 14;7:4.

Comparison of in vitro and in vivo properties of [^{99m}Tc]cRGD peptides labeled using different novel Tc-cores.

Decristoforo C, Santos I, Pietzsch HJ, Kuenstler JU, Duatti A, Smith CJ, Rey A, Alberto R, von Guggenberg E, Haubner R.
The Quarterly Journal of Nuclear Medicine and Molecular Imaging. 2007 Mar; 51(1):33-41.

Challenges in the small-scale preparation of radiopharmaceuticals – a European perspective.

Decristoforo C.
FABAD Journal of Pharmaceutical Sciences. 2007;32(3):131-138.

A musculoskeletal model of low grade connective tissue inflammation in patients with thyroid associated ophthalmopathy (TAO): the WOMED concept of lateral tension and its general implications in disease.

Moncayo R, Moncayo H.
BMC Musculoskeletal Disorders. 2007 Feb 23;8:17.

3,4,6-Tri-O-acetyl-2-deoxy-2-[¹⁸F]fluoroglucopyranosyl phenylthiosulfonate: a thiol-reactive agent for the chemoselective ¹⁸F-glycosylation of peptides.

Prante O, Einsiedel J, Gmeiner P, Wester HJ, Kuwert T, Maschauer S.
Bioconjugate Chemistry. 2007 Jan-Feb;18(1):254-262.

Evidence for Somatostatin receptor 2 in thyroid tissue.

Druckenthaner M, Schwarzer C, Ensinger C, Gabriel M, Prommegger R, Riccabona G, Decristoforo C.
Regulatory Peptides. 2007 Jan 10;138(1):32-39.

2006

[^{99m}Tc]HYNIC-RGD for imaging integrin α v β 3 expression.

Decristoforo C, Faintuch-Linkowski B, Rey A, von Guggenberg E, Rupprich M, Hernandez-Gonzales I, Rodrigo T, Haubner R.
Nuclear Medicine and Biology. 2006 Nov;33(8):945-952.

[Noninvasive characterization of myocardial molecular interventions by integrated positron emission tomography and computed tomography.](#)

Wagner B, Anton M, Nekolla SG, Reder S, Henke J, Seidl S, Hegenloh R, Miyagawa M, Haubner R, Schwaiger M, Bengel FM.
Journal of the American College of Cardiology. 2006 Nov 21;48(10):2107-2115.

[99mTc-depreotide scintigraphy versus 18F-FDG-PET in the diagnosis of radioiodine-negative thyroid cancer.](#)

Rodrigues M, Li S, Gabriel M, Heute D, Greifeneder M, Virgolini I.
The Journal of Clinical Endocrinology and Metabolism. 2006 Oct;91(10):3997-4000.

[Topography of cerebral monoamine transporter availability in families with SCA2 mutations: a voxel-wise \[123I\]beta-CIT SPECT analysis.](#)

Scherfler C, Boesch SM, Donnemiller E, Seppi K, Weirich-Schwaiger H, Goebel G, Virgolini I, Wenning GK, Poewe W.
European Journal of Nuclear Medicine and Molecular Imaging. 2006 Sep;33(9):1084-1090.

[Topography of dopamine transporter availability in progressive supranuclear palsy: a voxelwise \[123I\]beta-CIT SPECT analysis.](#)

Seppi K, Scherfler C, Donnemiller E, Virgolini I, Schocke MF, Goebel G, Mair KJ, Boesch S, Brenneis C, Wenning GK, Poewe W.
Archives of Neurology. 2006 Aug;63(8):1154-1160.

[Positron emission tomography using \[18F\]Galacto-RGD identifies the level of integrin alpha\(v\)beta3 expression in man.](#)

Beer AJ, Haubner R, Sarbia M, Goebel M, Luderschmidt S, Grosu AL, Schnell O, Niemeyer M, Kessler H, Wester HJ, Weber WA, Schwaiger M.
Clinical Cancer Research. 2006 Jul 1;12(13):3942-3949.

[Alphavbeta3-integrin imaging: a new approach to characterise angiogenesis?](#)

Haubner R.
European Journal of Nuclear Medicine and Molecular Imaging. 2006 Jul;33 Suppl 1:54-63.

[Small animal imaging using a conventional gamma camera exemplified in studies on the striatal dopaminergic system.](#)

Scherfler C, Decristoforo C.
Nuclear Medicine Review. Central and Eastern Europe. 2006;9(1):6-11.

[Comparison of 111In-DOTA-DPhe1-Tyr3-octreotide and 111In-DOTA-lanreotide scintigraphy and dosimetry in patients with neuroendocrine tumours.](#)

Rodrigues M, Traub-Weidinger T, Li S, Ibi B, Virgolini I.
European Journal of Nuclear Medicine and Molecular Imaging. 2006 May; 33(5):532-540.

[Peptide Imaging.](#)

Virgolini I, Traub-Weidinger T.
Diagnostic Nuclear Medicine. 2006;1:153-184.

PET-based human dosimetry of 18F-galacto-RGD, a new radiotracer for imaging alpha v beta3 expression.

Beer AJ, Haubner R, Wolf I, Goebel M, Luderschmidt S, Niemeyer M, Grosu AL, Martinez MJ, Wester HJ, Weber WA, Schwaiger M.
Journal of Nuclear Medicine. 2006 May;47(5):763-769.

Radio-analytical determination of the coating efficiency of cyclic RGD peptides.

Auernheimer J, Haubner R, Schottelius M, Wester HJ, Kessler H.
Helvetica Chimica Acta. 2006 May;89(5):833-840.

Comparison of different methods for radiochemical purity testing of [99mTc-EDDA-HYNIC-D-Phe1,Tyr3]-octreotide.

von Guggenberg E, Penz B, Kemmler G, Virgolini I, Decristoforo C.
Applied Radiation and Isotopes. 2006 Feb;64(2):194-200.

Das klinische Syndrom der posterioren kortikalen Atrophie.

[The clinical syndrome of posterior cortical atrophy].

Karner E, Jenner C, Donnemiller E, Delazer M, Benke T.
Der Nervenarzt. 2006 Feb;77(2):208-214. Review. German.

Number processing in posterior cortical atrophy--a neuropsychological case study.

Delazer M, Karner E, Zamarian L, Donnemiller E, Benke T.
Neuropsychologia. 2006;44(1):36-51.

2005

Image fusion analysis of (99m)Tc-HYNIC-Tyr(3)-octreotide SPECT and diagnostic CT using an immobilisation device with external markers in patients with endocrine tumours.

Gabriel M, Hausler F, Bale R, Moncayo R, Decristoforo C, Kovacs P, Virgolini I.
European Journal of Nuclear Medicine and Molecular Imaging. 2005 Dec;32(12):1440-1451.

Somatostatin receptor scintigraphy with 111In-DOTA-Ianreotide and 111In-DOTA-Tyr3-octreotide in patients with stage IV melanoma: in-vitro and in-vivo results.

Valencak J, Heere-Ress E, Traub-Weidinger T, Raderer M, Schneeberger A, Thalhammer T, Aust S, Hamilton G, Virgolini I, Pehamberger H.
Melanoma Research. 2005 Dec;15(6):523-529.

F-18 FDG PET for assessing tyrosine kinase-related signal transduction inhibition in a GIST c-kit-positive tumor patient by imatinib.

Zaknun JJ, Kendler D, Moncayo R, zur Nedden D, Virgolini I.
Clinical Nuclear Medicine. 2005 Nov;30(11):749-751.

Reference values for thyrotropin.

Moncayo R, Moncayo H, Virgolini I.

Thyroid. 2005 Oct;15(10):1204-1205.

Value of ¹¹¹In-DOTA-*lanreotide* and ¹¹¹In-DOTA-DPhe¹-Tyr³-*octreotide* in differentiated thyroid cancer: results of in vitro binding studies and in vivo comparison with ¹⁸F-FDG PET.

Rodrigues M, Traub-Weidinger T, Leimer M, Li S, Andreae F, Angelberger P, Dudczak R, Virgolini I.

European Journal of Nuclear Medicine and Molecular Imaging. 2005 Oct;32(10):1144-1451.

Reference values for thyrotropin.

Moncayo R, Moncayo H, Virgolini I.

Thyroid. 2005 Oct;15(10):1204-1205.

Cubilin and megalin in radiation-induced renal injury with labelled somatostatin analogues: are we just dealing with the kidney?

Moncayo R.

European Journal of Nuclear Medicine and Molecular Imaging. 2005 Oct;32(10):1131-1135.

^{99m}Tc-EDDA/HYNIC-Tyr(3)-*octreotide* for staging and follow-up of patients with neuroendocrine gastro-entero-pancreatic tumors.

Gabriel M, Muehlechner P, Decristoforo C, von Guggenberg E, Kendler D, Prommegger R, Profanter C, Moncayo R, Virgolini I.

The Quarterly Journal of Nuclear Medicine and Molecular Imaging. 2005 Sep; 49(3):237-244.

Non-invasive imaging of cardiac transgene expression with PET: comparison of the human sodium/iodide symporter gene and HSV1-tk as the reporter gene.

Miyagawa M, Anton M, Wagner B, Haubner R, Souvatzoglou M, Gansbacher B, Schwaiger M, Bengel FM.

European Journal of Nuclear Medicine and Molecular Imaging. 2005 Sep; 32(9):1108-1114.

Nutritional treatment of incipient thyroid autoimmune disease. Influence of selenium supplementation on thyroid function and morphology in children and young adults.

Moncayo R, Moncayo H, Kapelari K.

Clinical Nutrition. 2005 Aug;24(4):530-531.

Biodistribution and pharmacokinetics of the α v β 3-selective tracer ¹⁸F-galacto-RGD in cancer patients.

Beer AJ, Haubner R, Goebel M, Luderschmidt S, Spilker ME, Wester HJ, Weber WA, Schwaiger M.

Journal of Nuclear Medicine. 2005 Aug;46(8):1333-1341.

Voxel-wise analysis of [¹²³I]beta-CIT SPECT differentiates the Parkinson variant of multiple system atrophy from idiopathic Parkinson's disease.

Scherfler C, Seppi K, Donnemiller E, Goebel G, Brenneis C, Virgolini I, Wenning GK, Poewe W.

Brain. 2005 Jul;128(Pt 7):1605-1612.

[Nuclear medicine in the detection and management of pancreatic islet-cell tumours.](#)
Virgolini I, Traub-Weidinger T, Decristoforo C.
Best Practice Research. Clinical Endocrinology and Metabolism. 2005 Jun;
19(2):213-227.

[18FDG-PET for monitoring disease activity in an HIV-1 positive patient with disseminated chronic osteomyelitic brucellosis due to *Brucella melitensis*.](#)
Zaknun JJ, Zangerle R, Gabriel M, Virgolini I.
European Journal of Nuclear Medicine and Molecular Imaging. 2005 May;32(5):630.

[Non-invasive imaging of glycoprotein VI binding to injured arterial lesions.](#)
Gawaz M, Konrad I, Hauser AI, Sauer S, Li Z, Wester HJ, Bengel FM, Schwaiger M, Schömig A, Massberg S, Haubner R.
Thrombosis and Haemostasis. 2005 May;93(5):910-913.

[Noninvasive visualization of the activated alphavbeta3 integrin in cancer patients by positron emission tomography and \[18F\]Galacto-RGD.](#)
Haubner R, Weber WA, Beer AJ, Vabuliene E, Reim D, Sarbia M, Becker KF, Goebel M, Hein R, Wester HJ, Kessler H, Schwaiger M.
PLoS Medicine. 2005 Mar;2(3):e70.

[Evaluation of \[123I\]IBZM pinhole SPECT for the detection of striatal dopamine D2 receptor availability in rats.](#)
Scherfler C, Scholz SW, Donnemiller E, Decristoforo C, Oberladstätter M, Stefanova N, Diederer E, Virgolini I, Poewe W, Wenning GK.
Neuroimage. 2005 Feb 1;24(3):822-831.

[Myocardial kinetics of reporter probe 124I-FIAU in isolated perfused rat hearts after in vivo adenoviral transfer of herpes simplex virus type 1 thymidine kinase reporter gene.](#)
Simões MV, Miyagawa M, Reder S, Städele C, Haubner R, Linke W, Lehner T, Epple P, Anton M, Schwaiger M, Bengel FM.
Journal of Nuclear Medicine. 2005 Jan;46(1):98-105.

[Imaging of delayed-type hypersensitivity reaction by PET and 18F-galacto-RGD.](#)
Pichler BJ, Kneilling M, Haubner R, Braumüller H, Schwaiger M, Röcken M, Weber WA.
Journal of Nuclear Medicine. 2005 Jan;46(1):184-189.